Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Date of issue: 02/25/2015 Revision date: 02/25/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Coal Slag
Product code : Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Abrasives and Roofing Products

1.3. Details of the supplier of the safety data sheet

Precision Packaging Inc. or Materials Packaging Corporation 10809 Executive Center, Suite 321 Little Rock, AR 72211 - USA T 501-224-3882

1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irritation 2 Serious Eye Damage 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS0

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes skin irritation. Causes serious eye damage.

Prevention statements (GHS-US) : Wash hands thoroughly after handling. Wear protective gloves as well as eye and face protection.

Response statements (GHS-US) : If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Storage statements (GHS-US) : Store to prevent dust generation and to keep dry. Keep out of reach of children.

Disposal statements (GHS-US) : Dispose of contents/container in accordance with local, state, and federal regulations.

2.3. Other hazards

No additional information available.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	7 - 31	Not classified.
Aluminum oxide	(CAS No) 1344-28-1	17 - 25	Not classified.
Calcium oxide	(CAS No) 1305-78-8	3 - 15	Skin Irrit. 2 Eye Dam. 1 STOT SE 3
Magnesium oxide (MgO)	(CAS No) 1309-48-4	< 4	Not classified.
Potassium oxide	(CAS No) 12136-45-7	< 3	Skin Corr. 1B

02/25/2015 EN (English) Page 1



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Titanium dioxide	(CAS No) 13463-67-7	< 2	Carc. 2* * airborne, unbound particles of
			respirable size

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and First-aid measures after skin contact shoes. Wash clothing before reuse. Get medical attention if irritation develops and persists.

: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to First-aid measures after eye contact do, remove contact lenses, if worn. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking

Symptoms/injuries after eye contact Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Firefighting measures

5.1. **Extinguishing media**

: Treat for surrounding material. Suitable extinguishing media

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Product does not

burn; however its packaging may.

5.3. Advice for firefighters

Protection during firefighting Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 Methods and material for containment and cleaning up

For containment Pick up large pieces, then place in a suitable container. Do not flush to sewer or allow to enter

waterways. Use appropriate Personal Protective Equipment (PPE).

: Vacuum or sweep material and place in a disposal container. Methods for cleaning up

Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust. Do not swallow. Handle and open

container with care. When using do not eat, drink or smoke.

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Hygiene measures

Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Clean up spilled material promptly.

7.3. Specific end use(s)

Not available.

02/25/2015 EN (English) 2/6



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Iron oxide (Fe2O3) (1309-37-	1)	
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³ (respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	10 mg/m³ (fume) 15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

Aluminum oxide (1344-28-1)		
ACGIH	Not applicable	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

Calcium oxide (1305-78-8)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³

Magnesium oxide (MgO) (1309-48-4)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ (inhalable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (fume, total particulate)

Potassium oxide (12136-45-7	7)
ACGIH	Not applicable
OSHA	Not applicable

Titanium dioxide (13463-67-7)		
ACGIH	ACGIH TWA (mg/m³)	10 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)

8.2. Exposure controls

Flash point

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : Wear chemically resistant protective gloves.

Eye protection : Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles)

and face protection (face shield).

Skin and body protection : Wear suitable clothing common to do-it-yourself projects.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection

must be based on known or anticipated exposure levels, the hazards of the product and the

safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully

before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Coarse/Granular

Colour : Black
Odour : Odourless

Odour threshold : No data available

pH : Highly alkaline when wet

Relative evaporation rate (butylacetate=1) : No data available

Melting point : > 1371.1 °C (2500 °F)

Freezing point : No data available

Boiling point : No data available

02/25/2015 EN (English) 3/6



: No data available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not flammable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : 2.7

Solubility : No data available Partition coefficient: n-octanol/water : No data available Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Moisture – product must be kept dry until ready to use.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified.

Coal Slag		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available	

	·	
Iron oxide (Fe2O3) (1309-37-1)		
LD50 oral rat	> 10000 mg/kg	

Aluminum oxide (1344-28-1)	
LD50 oral rat	> 5000 mg/kg

	3 3	
Calcium oxide (1305-78-8)		
LD50 oral rat	> 2000 mg/kg	

		3 3
Magnesium oxide (MgO) (1309-48-4)		
LD50 d	oral rat	> 5000 mg/kg

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 10000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.

02/25/2015 EN (English) 4/6



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Respiratory or skin sensitisation	:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	:	Based on available data, the classification criteria are not met.
Carcinogenicity	:	Based on available data, the classification criteria are not met.

Iron oxide (Fe2O3) (1309-37-1)	
IARC group	3 - Not classifiable

Titanium dioxide (13463-67-7)	Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans (airborne, unbound particles of respirable size)	
Reproductive toxicity	Based on available data, the classification criteria are not met.	

Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure) : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Symptoms/injuries after eye contact

Coal Slag	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Coal Slag	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

In accordance with DOT

Not regulated for transport.

Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Aluminum oxide (1344-28-1)	
Listed on United States SARA Section 313	
SARA Section 313 - Emission Reporting	1.0 % (fibrous forms)

02/25/2015 EN (English) 5/6



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

15.2. US State regulations

Coal Slag	
State or local regulations	This product contains <0.1% Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue : 02/25/2015
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.



