



packaging

cement color



Material Safety Data Sheet

Health = 1

Flammability = 0

Reactivity = 0

ASH GROVE PACKAGING GROUP
 10809 Executive Center Drive, Ste. 321
 Little Rock, AR 72211
 Phone: (888) 289.1117
 Fax: (501) 224.3882
www.ashgrovepkg.com

Section I. Product Identification

Trade Name: Ash Grove® Cement Color
Synonyms: None
Manufacturer and/or Supplier: Materials Packaging Company
Address: 10809 Executive Center Drive
Manufacturer and Emergency Telephone: (888) 289 -1117
Effective Date: October 9, 2009

Section II. Hazardous Ingredients

Description	CAS#	TLV	PEL	Vapor Pres.
Iron Oxide Pigments	Non-hazardous	1mg/m3	NE	NA

Section III. Physical Data

Boiling Point: NA
Vapor Pressure (mmHg): NA
Vapor Density (Air = 1): NA
Solubility in Water: Insoluble
Appearance/Odor: Fine powdered colorant, various colors; No odor

Specific Gravity (Water = 1): 4.1
% Volatile by Volume (%): NA
Evaporation Rate: NA



cement color (cont.)

Section IV. Fire & Explosion Hazard Data

Flash Point:	Non-Flammable
Flammable Limits – UEL (%):	NA
– LEL (%):	NA
Extinguishing Media:	NA
Special Firefighting:	NA
Unusual Fire and Explosion Hazards:	None

Section V. Health Hazard Data

Threshold Limit Value:	1mg/m3 (OSHA Part 1910.93 for Industrial Grade Compounds)
Effects of Overexposure:	Irritation in respiratory tract. Prolonged exposure may lead to pulmonary involvement
Emergency First Aid:	
Skin:	Wash thoroughly with soap and water.
Eyes:	Flush thoroughly with water for 15 minutes. Consult physician if irritation persists.
Inhalation:	Remove from exposure. If not breathing, give CPR. If breathing is difficult, give oxygen and consult physician.
Ingestion:	Give large doses of water to dilute.

Section VI. Reactivity Data

Stability:	Stable
Stability Conditions to Avoid:	NA
Materials to Avoid:	NA
Hazardous Decomposition Products:	NA
Hazardous Polymerization:	Will not occur

Section VII. Spill or Leak Procedures

Spill or Leak Procedures:	Material can be handled as normal solid waste
Waste Disposal Methods:	Dispose of in accordance with federal, state and local regulations.

Section VIII. Special Protection Information

Eye Protection:	Goggles
Glove Requirements:	Rubber, PVC, Neoprene
Respiratory Protection:	NIOSH/MSHA approved for protection against nuisance dust.
Ventilation:	Local exhaust
Clothing:	None special needed for protection
Wash Requirements:	Soap and water

Section IX. Handling & Storage Precautions

Storage:	Store in manner to prevent contact with strong acids. Avoid contact with water to preserve product.
Storage Temperature:	NA
Other Precautions:	None

Section X. Shipping Information

DOT Shipping Name:	Iron Oxide
DOT Hazard Class:	Non-hazardous – Class 50
DOT Reportable Quantity:	NA



cement color (cont.)

Section XI. Other

Note: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.